


profile LED can be used as the shelf or cables hiding cover giving decorative and uniform light; accessories for cables hiding click-on cover profile



anodized aluminium

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection


cover

anodized


2000mm 016990

socket frame

0,5 - **017300** 1 - 017303 2 - 017302







transparent

2000mm 016986

profile LED SHELF MULTI cover anodized

standard 500mm under the order 500mm under the order

1000mm under the order 1000mm under the order 1000mm under the order 1000mm under the order 1000mm under the order 2000mm 017288 2000mmunder the order 2000mm 017323








narrow

glass fixing 500 - under the order 1000 - under the order LED mounting 500 - under the order 1000 - under the order 2000 - **017290**

holder galvan. 017301




ending















ending

shelf

1







ending pass through shelf 017308

2000 - 017291







ending 017297





ending /set= 2pcs/

2-4pcs/1m

/set = 2pcs/

017339

017337

profile LED SWALL - raw aluminium: 500mm 1000mm 2000mm - anod.: 500mm under the order 1000mm under the order 2000mm 016968











LED strip + cable + power supply ---> pages 21 - 24



flexible mounting plate mounting plate spring 017285



017338









mounting plate 017336





LED strip + cable + power supply ---> pages 21 - 24







017339



flexible mounting plate 017338







2000mm

017382

2000mm

017312







cover cover white

500mm 500mm under the order under the order 1000mm under the order under the order 2000mm 017314

transparent





profile LED of the plasterboard;

raw aluminium (optional painting) or anodized aluminium

extremely slim, fit to the plasterboard; does not interfere with the construction or the pusterboard; uniform, smooth light; optional extra diffuser; can be mounted to the furniture, walls or floor profiles using the mounting plates (easy click system) or directly by screwing or using the glue (pasting)

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection






white / rosted / trans

anodized aluminium

standard lengths: 500, 1000, 2000mm;

max. length 4000mm; length above 2000mm - own collection

profile LED




click white / transpare

the profile can be installed in the surface, furniture or tile gap, in the wall or celling; the profile gives effect of lighting line;

lens

6 different covers;

cover cover cover cover cover cover white transparent click click lens frosted transparent white 60° 500mm 500mm 500mm 500mm 1000mm 1000mm 1000mm 1000mm 1000mm 1000mm





profile LED DEEP ending /set=2pcs/ anod.: 500mm under the order

Office

017333 1000mm under the order 2000mm 016971





profile LED OVAL holder side /set= 2pcs/ anod.: 500mm under the order 017381 1000mm under the order 2000mm 017306





holder simple /set= 2pcs/ 017269



LED strip or + cable + power supply ---> pages 21 - 24



white

500mm

017319



a stick to hang clothes; fitting to furniture's wall by using mounting holder OV;

click white / tra

cover

500mm

1000mm

2000mm

017317

cover

500mm

1000mm

2000mm

017382

click

transparent white

cover

lens

60°

500mm

1000mm

2000mm

017312

the lighting of wardrobe's inside

profile LED

white /

anodized aluminium

cover

frosted

500mm

2000mm 2000mm 2000mm

017318

1000mm 1000mm

standard lengths: 500, 1000, 2000mm;

max. length 4000mm; length above 2000mm - own collection

cover

500mm

1000mm

017313

transparent click

rosted / trans


example applications



profile is fixed by mounting holder OV to wardrobe's walls; LED strip 120 pts/m warm white

















LED strip + cable + power supply ---> pages 21 - 24












profile LED corner profile 45° used in cabinets corners profile can be mounted on a surface by screws or inside a surface by fitting glue perfect fitting of a cover





cover cover cover cover cover cover

white frosted transparent click click lens transparent white 60° 500mm 500mm 1000mm 1000mm 2000mm 2000mm 2000mm 017382 017312



profile LED SLIM - raw aluminium: 500mm under the order 1000mm under the order 2000mm under the order - anod.: 500mm under the order

1000mm under the order 2. 2000mm under the order ending thickness increases the length of the profile

ending /set= 2pcs/

under the order

optional mounting:





under the order







LED strip + cable + power supply ---> pages 21 - 24




profile mounted on the socle with warm white light



12,2 white / frosted / trans

raw aluminium (optional painting) or anodized aluminium

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection



cover	cover	cover
white	frosted	transparent
500mm	500mm	500mm
1000mm	1000mm	1000mm
100011111	10000000	100011111
2000mm	2000mm	2000mm



profile mounted in the furniture; warm white light



example applications

017339

017336

LED strip + cable + power supply

---> pages 21 - 24









profile mounted on the wall with 2pcs warm white LED strips profile mounted on the wall with 2pcs green LED strips

frame mounted around a wall niche; first LED strip - red, the other cool white





profile LED PEN - anod.:

cover

500mm under the order 500mm 1000mm under the order under the order 2000mm 016980 1000mm under the order

2000mm 017321



LED strip + cable + power supply ---> pages 21 - 24

9



optional mounting:

mounting elements

holder simple /set = 2pcs/ 017286

example applications



lighting of company's logo on trade fairs exibition /SATURN/

mirror lighting in bathroom with double holder with ceilings; LED strip 3528 120pcs/m cabinet lighting with flat holder

interior lighting for display cases, images, exposure of trinkets; possibility of directing the light;

specially tailored lampshade; various mounting accessories

profile LED

10,2

13

anodized aluminium

standard lengths: 500, 1000, 2000mm;

max. length 4000mm; length above 2000mm - own collection





330° 🛛 🔽

length options:

under the order

under the order

"0"

017283

100mm

017293 200mm

300mm

Δ



×

2-4szt./1m

017281

set consists of 2 holders and 2 endings




end holder chromium 017295

set consists of 1 holder and 1 ending



set consists of 2 holders



100mm 017292 200mm under the order 300mm under the oder

set consists of 1 holder and 1 ending

stretcher holder

set consists of 2 holders

holder jointed

set consists of 2 holders

with ceiling

chromium


chromium

017280




utriggers ength options: 100mm 017294 200mm under the order 300mm under the order









aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection



profile LED WIDE H -11 ending /set= 2pcs/ raw aluminium: 500mm under the order 1000mm under the order 2000mm 016983 - anod.: 500mm under the order 1000mm under the order 2000mm under the order




ending thickness increases the length of the profile

500mm	500mm	500mm
1000mm	1000mm	1000mm
2000mm 017324	2000mm 017327	2000mm 017326

cover cover frosted transparent

	2000mm 017327	
000mm	1000mm	1000mm
0011111	50011111	50011111





profile LED WIDE H-11 ending /set= 2pcs/ raw aluminium: 017331 500mm under the order 1000mm under the order 2000mm 016983 - anod.: 500mm under the order 1000mm under the orde 2000mm under the order ending thickness increases he length of the profile

cover aluminium 500mm

under the order 1000mm under the order 2000mm 016982



optional mounting:



holder simple /set = 2pcs/ 017287



LED strip + cable + power supply ---> pages 21 - 24



Cabinet lighting with cool white LED strip cabinet lighting with 3 LED strips warm white

under cabinet lighting in the kitchen with 3 LED strips – first: warm white, the other: cool white



	A STATE
profile LED GROOVE	ending /set= 2pcs/

anod.: 500mm under the order 1000mm under the order 2000mm 017385



optional mounting:





017379






LED strip + cable + power supply ---> pages 21 - 24



Cabinet lighting with RGB LED strip





anodized aluminium

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection

, ,	cover white	cover frosted	cover transparent	cover click transparent	cover click white	cover lens 60°
	500mm	500mm	500mm	500mm	500mm	500mm
	1000mm	1000mm	1000mm	1000mm	1000mm	1000mm
eases ile	2000mm 017319	2000mm 017318	2000mm 017313	2000mm 017317	2000mm 017382	2000mm 017312

optional connector




flexible mounting plate connector /set = 2pcs/

2-4pcs/1m

017338



Cabinet lighting with cool white LED strip





profile LED CORNER-L30 ending /set= 2pcs/ under the order anod.: 500mm under the order 1000mm under the order 2000mm 017255





017338

optional connector

flexible mounting plate /set = 2pcs/

example applications

017378







lighting behind TV drawer and exibition on the shelf /TV room, DOMINICANS/

cabinet lighting with cool white LED and lens cover

corner cabinet lighting with cool white LED strip

profile LED Corner 30° or 60°, can be used as a lighting inside cabinets and cupboards; mounted directly or by mounting plate (2-4pcs/1m) CORNER-L30						
20 white / transparent white / transparent lens						
anodi	zed alumini	um				
		, 1000, 2000mm; ; length above 20		lection		
cover	cover	cover	cover	cover	cover	
white	frosted	transparent	click transparent	click white	lens 60°	
500mm	500mm	500mm	500mm	500mm	500mm	
1000mm	1000mm	1000mm	1000mm	1000mm	1000mm	
2000mm <mark>017319</mark>	2000mm 017318	2000mm 017313	2000mm 017317	2000mm 017382	2000mm 017312	

beam angles depend on way of mounting:



2-4pcs/1m

mounting plate

LED strip + cable

+ power supply

/set = 2pcs/





SURFA white / frosted / trans click white / transparent anodized aluminium

standard lengths: 500, 1000, 2000mm;

max. length 4000mm; length above 2000mm - own collection

cover

500mm

1000mm

2000mm

017317

profile LED can be used as lighting under cupboards, inside cabinets and cupboards; mounted on a flat surface directly or by mounting plate (2-4pcs/1m)

lens

cover

lens

60°

500mm

1000mm

2000mm

017312

cover

click

500mm

1000mm

2000mm

017382


transparent white

Office .⊆



profile LED SURFACE - anod.: 500mm under the order 1000mm under the order 2000mm 016974









mounting plate /set = 2pcs/ 017336

15



holder simple /set = 2pcs/

connector 017338







017339

bookcase lighting with different colors LED strips

lighting under table top /ART-CON/

banquet hall lighting /ECOTECHNOLOGIES/





16



profile LED FIX

- raw aluminium:

2000mm 016969

500mm under the order

1000mm under the order



LED strip + cable + power supply ---> pages 21 - 24

ending /set= 2pcs/

->

ending thickness increases the length of the profile

2,5

017334

cover

white

500mm


1000mm

2000mm

017325

under the order

under the order




profile LED SHELF9 - raw aluminium: 500mm under the order 1000mm under the order

2000mm under the order - anod.: 500mm under the order 1000mm under the order 2000mm 016977



LED strip + cable + power supply ---> pages 21 - 24

17





SHELF9 with different colours of LED strips

lines mounted on the wall with different colours of LED strips example profile with cool white LED strip

profile LED the profile gives effect of lighting line; various mounting possibilities: flat, back, side;

SHELF9

aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm;

max. length 4000mm; length above 2000mm - own collection



profile LED GLASS8-2D - raw aluminium: 500mm under the order 1000mm under the order 2000mm 016976

profile LED GLASS8-3D with slots



profile LED GLASS8-3D - aluminium: 500mm under the order 1000mm under the order 2000mm 016979





---> pages 21 - 24











lighting of cabinet back wall /MATKOWSKI/

lighting of cabinet back wall /MATKOWSKI/

lighting of cabinet back wall /MATKOWSKI/



profile LED ^{for lighting furniture back wall} or optionally also the glass (max thickness 8mm) GLASS8-2D

20,4

aluminium (optionally painted)

lighting of cabinet back wall with LED GLASS8-3D version





anodized aluminium (glossy)

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection



profile LED SHELF9 ending /set= 2pcs/ - raw aluminium: 017335 500mm under the order 1000mm under the order 2000mm under the order - anod.:

500mm under the order 1000mm under the order



2.5 ending thickness increases the length of the profile



LED strip + cable + power supply ---> pages 21 - 24

example applications





backlight of small desk plates with names

profile LED ^{for lighting a glass (thickness 5-9mm)} SHELF9



raw aluminium (optional painting) or anodized aluminium

standard lengths: 500, 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection

profile LED SHELF6 - anod.:





ending /set= 2pcs/



LED strip + cable + power supply ---> pages 21 - 24







example piece ready for mounting and connection

backlight of graphics on the glass top

glass lighting with blue LED strip

backlight of the glass with cool white LED strip





LED strip red 12V; 4,8W/m; 60P/m 010526

3,2

8

LED strip yellow 12V; 4,8W/m; 60P/m 010521



LED strip green 12V; 4,8W/m; 60P/m 010520



LED strip blue 12V; 4,8W/m; 60P/m 010523



LED STRIPS

LED strip cool white 12V; 4,8W/m; 60P/m 010522 Others: LED strip RGB 12V; 7,2W/m; 30P/m 010596

LED strip

010595

LED strip

010594

LED strip

012334

LED strip warm white

012335

cool white

warm white

014795

cool white 12V; 9,6W/m; 120P/m

warm white

014637

015730

014627

cool white

warm white

cool white

12V; 7,2W/m; 30P/m

12V;7,2W/m; 30P/m

12V; 9,6W/m; 120P/m

12V; 9,6W/m; 120P/m

waterproof LED strip

12V; 4,8W/m; 60P/m

waterproof LED strip

12V; 4,8W/m; 60P/m

waterproof LED strip

waterproof LED strip

12V; 9,6W/m; 120P/m

